

## Intra Hoof-fit

- Supports farmers in keeping the claw healthy
- Highly effective
- Strong adhesion to the claw
- User friendly
- With Aloe Vera for skin care



Intracare

For practical solutions

www.intracare.nl

## Intra Hoof-fit

### Intra Hoof-fit Gel & Liquid

Contains:

- Aloe Vera extract
- Alcohol
- Organic chelated minerals
- Skin care products
- Special binding agents

### Chelates

The chelated minerals in Intra Hoof-fit have been specially developed to promote claw health effectively and in the long term. The stability and the solubility of the minerals are many times greater in the chelate form than in the sulphate form. In this way, the action of the minerals is optimally utilised. These minerals, in combination with Aloe Vera and alcohol, ensure that your animals have strong claws.

Intracare

For practical solutions

www.intracare.nl

## Intra Hoof-fit

Gel

Liquid

Bath

Tape



Intracare

For practical solutions

www.intracare.nl

## Intra Hoof-fit

### Claws cause big economic losses

Claws in cattle and sheep are usually the result of all sorts of different factors. The production level, breeding methods and breed of the animals in question, as well as the accommodation, feed and hygiene, play an important role here. Initially, we often only see the affliction of the animal affected by the claw, but in reality the losses are much greater. In dairy cows, for example, production decreases drastically, (longer periods between calves) They are also responsible for a great deal of extra work and high treatment costs, and they are often the cause of the premature disposal of the animals. As a result of all these factors, the losses due to this circumstances on dairy farms can easily mount to EUR 300 per dairy cow per year.

### Intra Hoof-fit Gel & Intra Hoof-fit Liquid

Intra Hoof-fit Gel and Intra Hoof-fit Liquid support farmers in keeping the claws of cows and sheep in good condition. Intra Hoof-fit Gel is a superconcentrated gel that is intended for the individual animals.

Intra Hoof-fit Liquid has been specially developed for the complete herd. The low-pressure spray method is preferred. These products have been developed in close cooperation with cattle farmers, veterinary surgeons, hoof trimmers and cattle specialists from feed companies, and have been comprehensively tested in practice.

### Intra Hoof-fit Bath

Intra Hoof-fit Bath enables producers to treat the hooves of cows to keep animals hooves healthy.

Before using the Hoof-fit Bath it is recommended to clean the hooves with water first or use a second hoof bath with fresh water to keep the bath as clean as possible.

Use 3 till 5% Hoof-fit Bath (3 till 5 litres Hoof-fit Bath per 100 litres of water). Recommend changing footbath solution every 200 cows that walk through.

For whole herd hoof health prevention and treatment solutions, use Hoof-fit Bath once a week. In the event of serious whole herd hoof problems use the Hoof-fit Bath for three consecutive days to treat the entire herd.

## Intra Hoof-fit Gel

### Intra Hoof-fit Gel individuel



1. The animals' claws should be trimmed two to three times per year. It is advisable to have this carried out by a professional hoof trimmer..



2. Clean the claw thoroughly, ensuring that any manure present is removed from the claw and the interdigital space. Then dry the claw.



3. Apply Hoof-fit Gel to the claw and the interdigital space, using the brush supplied with the gel.



4. Hoof-fit Gel is effective for 4-5 days as a result of its unique adhesive properties. If necessary, repeat after this period.



5. In some cases we advise that claws be taped. After a maximum of 4 days, remove the tape and apply Hoof-fit Gel again (this time without taping).

## Intra Hoof-fit Liquid

### Intra Hoof-fit Liquid Complete herd



1. Tie the animals up to the feeding rack.



2. Spray the claws and the interdigital spaces clean with water.



3. Application using a lowpressure spray gives the best results.



4. Spray Intra Hoof-fit Liquid onto the backs of the claws and in the interdigital spaces using a low-pressure spray. Repeat this every week.



5. Always start with a 50% solution. After a certain period reduced to a 20% solution, if required.